

人性化护理在子宫肌瘤术后下肢静脉血栓栓塞预防中的作用评价

龚晓梅

常熟市第二人民医院 江苏 常熟 215500

【摘要】: 目的: 方法: 2021 1 2022 6
82
结果: p
0.05 97.56% 80.49% p 0.05
p 0.05 结论:

【关键词】:

Evaluation of Humanized Nursing in the Prevention of Lower Extremity Venous Thromboembolism After Uterine Myoma Surgery

Xiaomei Gong

Changshu Second People's Hospital Jiangsu Changshu 215500

Abstract: Objective: To explore the effect of humanized nursing in the prevention of lower extremity venous thromboembolism after uterine myoma surgery. Methods: A total of 82 patients with uterine fibroids treated in our hospital from January 2021 to June 2022 were selected and divided into two groups. Routine nursing was used in the control group, and humanized nursing was used in the observation group. Coagulation function indexes, hemodynamic indexes, nursing satisfaction and nursing efficiency of patients were compared. Results: By comparison, the coagulation function indexes and hemodynamic indexes of the observation group were better than those of the control group ($P < 0.05$), the nursing satisfaction of the observation group and the control group were 97.56% and 80.49% respectively, and the nursing satisfaction of the observation group was significantly higher than that of the control group ($P < 0.05$). The total effective rate of the observation group was significantly higher than that of the control group ($P < 0.05$). Conclusion: The application of humanistic nursing in the prevention of lower extremity venous thromboembolism after uterine myoma surgery can effectively improve the coagulation function and hemodynamic indexes of patients, and improve the satisfaction and efficiency of nursing work.

Keywords: Humanized nursing; Uterine fibroids; Lower extremity venous thrombosis; Prevention

30- 50

1 资料与方法

1.1

2021 1 2022 6

82

[2]

41

31- 54

42.53± 3.19

[3]

41

30- 56

43.62± 2.97

p

0.05

1.2

1

2

3

1.3 1 2 3 4 100 90 51-90
 0-50
 4

1

1.5 SPSS21.0 $\bar{x} \pm s$ t
 % χ^2 p 0.05

2 结果

2

21

p

0.05

1

1

$\bar{x} \pm s$

3

	n	PT s	APTT s	TT s	FIB g/L
	41	15.96± 2.36	41.55 ± 4.59	19.02± 2.43	2.26± 0.41
	41	12.78± 2.06	32.37 ± 4.18	16.12± 1.33	3.64± 0.35
t		6.500	9.468	6.703	16.392
p		0.000	0.000	0.000	0.000

2.2

2

4

2

$\bar{x} \pm s$

5

6

	n	mpa.s	mpa.s	%	g/L
	41	5.03± 0.26	1.02± 0.37	41.38± 2.15	1.32± 0.45
	41	6.59± 0.42	1.99± 0.43	50.64± 2.88	2.39± 0.37
t		20.222	10.949	16.498	11.760
p		0.000	0.000	0.000	0.000

2.3

97.56% 80.49%

p 0.05

3

1.4

1

APTT

TT

FIB

PT

3

[n %]

2

	n				%

	41	35 85.37	5 12.20	1 2.44	40 97.56
	41	29 70.73	4 9.76	8 19.51	33 80.49
χ^2					4.493
p					0.034

3
24

100.00% 78.05%
p 0.05 4
[n %]

	n				%
	41	33 80.49	8 19.51	0 0.00	41 100.00
	41	26 63.41	6 14.63	9 21.95	32 78.05
χ^2					7.988
p					0.005

3 讨论

[4 5]

[6]

[7 8]

p 0.05

参考文献:

- [1] . [J]. , 2019,47 (08): 983- 986.
- [2] . [J]. ,2020,18(22):223- 224.
- [3] . [D]. ,2020.
- [4] . [J]. , 2020,26 (06): 1014- 1015+1018.
- [5] . [J]. ,2020,7(40):106.
- [6] . [J]. , 2019,6(21):188- 189.
- [7] . [J]. , 2021, 21(14):118- 120.
- [8] . [J]. ,2019,25(06):1054- 1055+1058.