

综合护理方式对黄褐斑激光治疗后患者创面愈合的影响

朱 莉 宿丽娜

甘肃省妇幼保健院 甘肃省中心医院 甘肃 兰州 730050

【摘要】: 目的:

方法:

101

A 50 B 51

结果: B

A B A P<0.05 B A

P<0.05 B A

P<0.05 结论:

【关键词】:

Effect of Integrated Care Mode on Patient Wound Healing after Melasma Laser Treatment

Li Zhu Lina Su

Gansu Province Maternal and Child Health Care Hospital Gansu Province Central Hospital Gansu Lanzhou 730050

Abstract: Objective: To explore the practical role of the comprehensive nursing method in the wound healing care after chloasma laser treatment. Methods: 101 chloasma patients treated in our hospital in the past year were selected for investigation, and all patients underwent laser treatment to ensure that all patients met the inclusion criteria of this study. 50 patients were divided into group A (control) and group B (study), and different nursing intervention methods were implemented. Results: Through this study, the nursing effect of group B was significantly better than Group A, group B was significantly better than group A in terms of healing time, $P < 0.05$; Group B was significantly lower than group A, $P < 0.05$, Group B had higher nursing satisfaction, service attitude, humanistic care and medical ethics, and $P < 0.05$. Conclusion: In the treatment of such patients, comprehensive nursing methods can be reasonably adopted to improve the overall nursing effect.

Keywords: Comprehensive nursing; Chloasma; Laser treatment; Wound

1 资料与方法

1.1

101

101

34 53.56± 5.61

[1]

67 54.51± 6.92

$P > 0.05$

1

2

3

4

5

6

[2]

1

2

3

4

[4]

1.2

3

101

A B

4

CO₂

C E
1.3

2

EXCEL

[3]

1.4

A 50

SPSS21.0

P<0.05

2 结果

A B

B 51

B

A P<0.05
1 A B

1

5

| | | min | d | % |
|---|----|--------------|------------|--------------|
| A | 50 | 55.34± 13.07 | 3.11± 1.21 | 61.04± 12.11 |
| B | 51 | 54.55± 10.34 | 2.45± 0.94 | 84.45± 13.24 |
| t | | 0.5625 | 3.9452 | 8.0454 |
| P | | >0.05 | <0.05 | <0.05 |

2

B

A

P<0.05

2

2A B

| A | 50 | 2.49± 0.51 | 2.45± 0.66 | 2.56± 0.67 |
|---|----|------------|------------|------------|
| B | 51 | 1.94± 0.32 | 1.41± 0.32 | 1.67± 0.55 |
| | | | | 1.13± 0.33 |

| | | | | |
|---|--------|--------|--------|--------|
| | | | | |
| t | 6.5532 | 4.5635 | 7.5634 | 8.1344 |
| P | <0.05 | <0.05 | <0.05 | <0.05 |

2

A

P<0.05

B

3

3A B

| | | | | |
|----|--------|--------|--------|--------|
| | | | | |
| A | 18.45± | 23.45± | 20.81± | 22.44± |
| 50 | 5.52 | 6.67 | 1.23 | 5.43 |
| B | 23.35± | 26.56± | 24.56± | 25.47± |
| 51 | 5.67 | 4.45 | 1.17 | 2.45 |
| t | 4.4056 | 6.1204 | 7.4661 | 6.0454 |
| P | <0.05 | <0.05 | <0.05 | <0.05 |

3 讨论

回

B

B

A

P<0.05

参考文献:

- [1] [J].
 ,2022,33(02):68- 70+82
- [2] Nd:YAG [J].
 ,2022,31(01):68- 71.
- [3] [J]. ,2021,42(03):115- 116
- [4] 譚. [J].
 ,2020,29(08):65- 68.
- [5] [J]. , 2019,2 8(10):
 153- 155+158