呼吸内科护理的敏感性指标的构建研究

张依颖
上海中医药大学附属龙华医院 上海 200032

【摘 要】：目的： 方法：
“ - - ” Dilphi
结果： 4 13
78 95 W 0.133 4 15
70 89 W 0.284 P<0.05 结论：

【关键词】：

Study on the Construction of Sensitivity Index of Nursing in Respiratory Department

Yiying Zhang

Longhua Hospital Shanghai University of Traditional Chinese Medicine Shanghai 200032

Abstract: Objective: To explore the establishment of quality evaluation index system of inhalation medical nursing sensitivity. Methods: Reference materials were searched and collected from CNKI, Wanfang Test, VIP and other database systems. The quality management mechanism of "construction-whole-result-process" was used as the theoretical innovation, and the evaluation index system of inhalation medical sensitivity quality was established and constructed based on entropy method, evidence-based analysis and Dilphi expert interview. Results: In the first round of authoritative expert recommendation, there were 4 first-level indexes, 13 second-level indexes and 78 third-level indexes, with a total of 95 items. The W value of harmony index was 0.133. In the second round of recommendation by authoritative experts, there were 4 grade index values, 15 second-level index values and 70 third-level index values, a total of 89 items, and the W value of harmony index was 0.284 (P<0.05). Conclusion: The inhalation medical sensitivity quality evaluation index system established by our laboratory has been certified by authoritative experts, which is scientific, reasonable and effective. In clinical nursing, we should pay attention to the deployment, training and learning of medical staff, and strengthen the work of obstetrics and gynecology. To evaluate medical risks, proactively prevent disease onset, and effectively allocate medical resources.

Keywords: Nursing in respiratory medicine; Sensitivity index; Construction; Research

前言

NSI

NSI

1 方法

1.1

33

.

Johns Hopkins Nursing Evidence-based practice JHNEBP

JHNEBP

5 ~

3

A B C 33 A B

A 18 IVA 11 VA 1 B 3

“ - - ”

>1

11

1.2 CV

6 3
NSI 2 结果

2.1
≥
50% 2 100% /
=22/22 90.9% / =22/20
NSI Cr
98
3 “ 5= 4= Cr 0.70
3= 2= 1= ”
2.2
100
5 100
0.896 98
1.3 3.06~5.00 0~0.93 100 0~100% 2
88 3.45~5.00
Delph 0~0.76 100 5%~100%

2.3
Saty CV
CV>0.1 50
51% CV>0.1 27
1.4 30.7% KendaII
“ ” Kj 100 Harmony Index W
Mj CV W
Kj Mj 1

1

		W	χ^2	P
1				
	3	0.644	40.576	0.006
	14	0.223	65.512	<0.001
	81	0.129	219.397	<0.001
	98	0.131	270.190	<0.001
2				
	3	0.661	37.695	0.006
	14	0.374	99.385	<0.001
	71	0.239	334.077	<0.001
	88	0.286	497.642	<0.001

3 讨论 2
3.1Delphi 100% 90% Cr 0.820 0.865

22 3.2
“ - - ”
NSI

NSI

NSI

4 讨论

2010 9

7%
8.3%
COPD VAP 8.4~49.3/1000
7.9/1000

5 结论

Dilphi

“ - - ” NS1
NSI

6 建议

1

2

3

参考文献：

[1]
[C]//. ( ),2020: 109-111.
[2] [C]//.
( ),2020:399-403.
[3]
[C]//.2019
,2019:142-146.
[4] Roy
[C]//.2019
,2019:182-186.
[5] [C]//.2019
,
2019:222-226.
[6]
[C]//.2019
,2019:262-265.
[7]
[C]//.2019
,2019:297-301.