

综合护理在血液科化疗中的应用研究

张官梅

上海中医药大学附属龙华医院 上海 200032



【关键词】:

Application of Comprehensive Nursing in Chemotherapy of Hematology Department

Yimei Zhang

Longhua Hospital Shanghai University of Traditional Chinese Medicine Shanghai 200032

Abstract: Objective: To explore and analyze the application research of comprehensive nursing in chemotherapy of hematology department. Methods: The start time and end time of the study were January 2021 and February 2022, respectively. Under the action of computer-related programs, 88 patients who received chemotherapy in the Department of Hematology of our hospital during this period were selected as enrolled members and divided into two groups. Two groups, a total of 44 cases in the control group using routine care, and a total of 44 cases in the observation group using the comprehensive nursing model, were compared between the two groups for the final intervention effect of the patients. Results: A group with more adverse events was the observation group (P<0.05); there was no difference in the quality of life between the two groups before the intervention (P>0.05), and the data of various indicators after the intervention were higher. A group with higher satisfaction is the observation group (P<0.05); a group with higher satisfaction is the observation group (P<0.05). Conclusion: For patients receiving chemotherapy in the hematology department, the use of comprehensive nursing mode to carry out corresponding intervention work can significantly reduce the adverse symptoms of patients, and at the same time, the quality of life of patients can be greatly improved. It is a way worth promoting and using in clinical practice.

Keywords: Comprehensive nursing; Department of Hematology; Chemotherapy





2 3 4 1.3 5 1 1.2 1.2.1 2 1.2.2 3 1 100 90-100 75-89 0-74 1.4 SPSS221.0 $\frac{-}{x} \pm S$ χ^2 t P 0.05 2 结果 2.1 2 1 P 0.05 [n %] 2 4.55 1 2.27 0 0.00 1 2.27 0 0.00 2 4.55 2 4.55 3 6.82 2 4.55 9 20.45 3 χ^2 5.090 Р 0.024 5mg 2.2 24 2 P 0.05 P 0.05 $\bar{x} \pm S$ 2 59.12± 5.21 90.14± 5.25 59.87± 4.36 90.25± 5.17 59.24± 5.64 89.25± 5.35 58.44± 5.78 90.42± 5.13



	44	59.28± 5.17	78.35± 4.37	59.79± 4.28	79.17± 4.27	59.45± 5.58	78.26± 5.36	58.26± 5.35	74.25± 5.34
t		0.144	11.449	0.086	10.960	0.175	9.626	0.151	14.484
Р		0.885	0.000	0.931	0.000	0.861	0.000	0.879	0.000

2.3

3

P 0.05

		3		[n %]				
	44	24 54.55	18 40.91	2 4.55	42 93.18			
	44	17 38.64	16 36.36	11 27.50	33 78.57			
X					7.310			
Р					0.006			

[6]

[9]

[7]

3 讨论

参考文献:

[1] . [J].

,2021,13(14):192-195.

[2] , . [J].

, 2020, 34(1): 48- 52.

[3] .

[J]. , 2022,1(2):63-66.

[4] . [J].

,2020,11(23):153-155.

[5] .

[4-5]

[J]. , 2020, 34(5):75-76.

[6] .

[J]. , 2020, 24(9):1241-1243.

[7] .

[J]. ,2021,50(5):196-197.

[8] , , , .

[J]. ,

2020, 39(16): 3006-3008.

[9] , .

[J]. ,2020,1(19):130-

132

[10] , , .

[J].

, 2020, 23(6):102-103.

24