

老年科护理中的安全隐患与防范措施

金姬婷

上海中医药大学附属龙华医院 上海 200032

【摘要】: 目的: 方法: 2020 5 -2021 5 100
90% 70% P<0.05 50 结果:
P<0.05

结论:

【关键词】:

Hidden Dangers and Preventive Measures in Geriatric Nursing

Jiting Jin

Longhua Hospital Shanghai University of Traditional Chinese Medicine Shanghai 200032

Abstract: Objective: To explore the safety hazards and preventive measures in geriatric nursing. Methods: A total of 100 patients admitted to the geriatric department of our hospital from May 2020 to May 2021 were selected to analyze the safety risks in the geriatric care. They were randomly divided into the observation group (targeted preventive measures) and the control group (routine care), with 50 patients in each group. Results: The treatment compliance of the observation group (90%) was higher than that of the control group (70%) ($P<0.05$). The self-management ability, quality of life and psychological resilience of the observation group were significantly improved ($P<0.05$). Conclusion: By analyzing the hidden danger in geriatric nursing and taking targeted preventive measures, we can obtain more ideal nursing effect.

Keywords: Geriatric nursing; Hidden danger; Preventive measures

[1-2]

2

[3]

1 材料与方法

1.1

3

2020 5 - 2021 5 100
50 27

23 76.15± 8.01 26

24 77.28± 7.95 $P>0.05$ 4

1.2

1

23

1.3
1 2 CD-RISC
3 ESCA
4 SF-36 [6]
1.4
SPSS22.0 " $\bar{x} \pm s$ " [n %]
" t " " χ^2 " P<0.05

2 结果

2.1

P<0.05 1

	1	n	%	
	50	33	12	5
	50	22	13	15
χ^2				12.054
P				<0.05

2.2

P<0.05 2

	2	$\bar{x} \pm s$		
	50	19.78 ± 4.37	39.38 ± 6.58	17.10 ± 4.12
	50	19.84 ± 4.20	32.21 ± 6.20	17.05 ± 3.92
t	0.083	6.635	0.074	7.973
P	0.05	<0.05	0.05	<0.05

2 $\bar{x} \pm s$

	50	17.62 ± 3.52	36.29 ± 6.28	69.30 ± 4.58	138.59 ± 8.45
	50	17.55 ± 3.30	29.58 ± 6.02	69.35 ± 4.28	106.58 ± 8.25
t	0.121	6.453	0.067	22.678	
P	0.05	<0.05	0.05	<0.05	

3 $\bar{x} \pm s$

	50	74.52 ± 5.68	90.11 ± 6.35	75.21 ± 4.57	91.66 ± 6.33	72.33 ± 5.16	92.65 ± 6.04
	50	74.65 ± 5.10	81.84 ± 5.67	74.96 ± 5.02	80.48 ± 6.58	71.98 ± 4.98	79.36 ± 5.99
t	0.142	8.128	0.308	10.245	0.408	13.071	
P	0.05	<0.05	0.05	<0.05	0.05	<0.05	

3 $\bar{x} \pm s$

	50	73.24 ± 6.02	90.57 ± 6.33	75.28 ± 5.17	91.58 ± 7.25
	50	74.05 ± 5.78	82.64 ± 6.21	75.48 ± 5.05	83.24 ± 6.95
t	0.812	7.740	0.231	6.948	
P	0.05	<0.05	0.05	<0.05	

2.4

4 $\bar{x} \pm s$

	50	18.76 ± 2.53	45.18 ± 1.38	11.19 ± 1.25	27.85 ± 0.21	7.09 ± 1.12	14.58 ± 1.20
	50	18.75 ± 2.52	34.76 ± 1.64	11.09 ± 1.26	19.56 ± 0.24	7.07 ± 1.13	10.29 ± 1.11
t	0.023	40.674	0.471	217.492	0.105	21.957	
P	0.05	<0.05	0.05	<0.05	0.05	<0.05	

3 讨论

[7-8] [9-10] [11] [12-13] [14-15]

P<0.05 90% 70% P<0.05

参考文献:

[1] [2] [3] [4] [5] [6] [7] [8] [9] [10] [11] [12] [13] [14] [15]

[J]. [J].

,2016,22(11):182-183.
 ,2019(1):184-185.
 ,2017,4(80):15717,15720.
 ,2018(44):134.
 NIGHTINGALE,GINAH,BURHENN,PEGGYS.,PUT S,MARTINE,et al.Integrating Nurses and Allied Health Professionals in the care of older adults with cancer:A report from the International Society of Geriatric Oncology Nursing and Allied Health Interest Group[J].Journal of geriatric oncology,2020,11(2):187-190.
 [J]. [J].

,2019,29(35):376.
 ,2018(24):134.
 ,2020,28(10):175-176.
 BARNES-AYERS,KIMBERLY.Improving Outcomes by Infusing Innovative and Creative Ideas Into Caring for Older Adults:The Influence of Nurses Improving Care for Health System Elders(NICHE)on a Geriatric Psychiatric Nursing Unit[J].Journal of the American Psychiatric Nurses Association, 2018,24(4):376-377.
 [J]. [J].

,2020,7(20):95-96.
 ,2021(10):204.
 ,2020,7(75):114,118.
 ,2020,7(31):128.