

# 药房药剂师调配儿童药品的注意事项探究

陈来湘

贵州省黔南州贵定县都六卫生院 贵州 黔南 551302

**【摘要】**目的: 探究药房药剂师调配儿童药品的注意事项。方法: 回顾性分析我本院门诊发生的 64 例药房药剂师调配儿童药品不良事件资料, 探究在儿童药品调配过程中需要注意的事项。根据药品调配过程中的具体问题, 调整措施, 提高用药的准确性, 保障治疗的效果。结果: 在无其他因素的干扰下, 在所有 64 例药房药剂师调配儿童药品不良事件中, 用药剂量差异占比最大, 为 25.00%, 其次是用药方法(时间)错误、重复用药等。集中分析导致儿童药品调配过程中各种不良事件发生的原因, 并探究相关注意事项, 采取积极措施保障儿童药品的质量, 保障儿童生命健康与安全。结论: 由于各种原因影响, 药房药剂师在调配儿童药品时常出现一些不良事件, 给儿科药物治疗的过程带来安全隐患。由于儿童身体素质较差, 易受外界影响, 用药不正确或不准确, 可能带来严重后果, 需要引起重视。需积极探究药房药剂师调配儿童药品过程中应注意的问题, 采取有效管理措施, 改进工作模式, 提高儿科用药安全性, 避免不良反应发生, 提高用药的有效性, 促进儿童恢复。

**【关键词】**: 药房; 药剂师; 儿童药品; 注意事项

## Study on Matters Needing Attention in Dispensing Children's Drugs by Pharmacists in Pharmacy

Laixiang Chen

Duliu Health Center Guiding County Qiannan Prefecture Guizhou Qiannan 551302

**Abstract:** Objective: To explore the precautions of pharmacists in pharmacies in dispensing children's drugs. Methods: the data of 94 cases of adverse events of children's drugs dispensing by pharmacists in our hospital were retrospectively analyzed, and the matters needing attention in the process of children's drug dispensing were explored. According to the specific problems in the process of drug dispensing, adjust measures to improve the accuracy of medication and ensure the effect of treatment. Results: without the interference of other factors, in all 94 cases of adverse drug events in children allocated by pharmacists in pharmacies, the dosage difference accounted for the largest proportion, which was 24.47%, followed by the wrong medication method (time), repeated medication, etc. Focus on analyzing the causes of various adverse events in the dispensing process of children's drugs, explore relevant precautions, and take positive measures to ensure the quality of children's drugs and the health and safety of children's lives. Conclusion: due to various reasons, pharmacy pharmacists often have some adverse events in dispensing children's drugs, which brings potential safety hazards to the process of pediatric drug treatment. Because children have poor physical quality and are vulnerable to external influence, incorrect or inaccurate medication may bring serious consequences, which need to be paid attention to. It is necessary to actively explore the problems that pharmacists in pharmacies should pay attention to in the process of dispensing children's drugs, take effective management measures, improve the working mode, improve the safety of pediatric medication, avoid adverse reactions, improve the effectiveness of medication, and promote children's recovery.

**Keywords:** Pharmacy; Pharmacist; Children's medicine; Matters needing attention

丰嫗咪回仗佃丁シ能孳寔回罔, 夕替包勤斗儻替倭味, 嫗她豐巡她忙靡丁侑夕替こ掙丰嫗她や母替え 慧丰嫗や母励  
Gh媒伶學潤中扁剔覘夫芥↑ 伶嘖丰嫗夫芥豐巡她侑夕替丁  
妮剃+ 峯夕扇徒替傲巡以儻咕妻哧揮她徒嘖↑ ↓ 伉儷惠+ 替  
兑壯+ 巡以儻豐巡哧噓+ kθ ← 扇俯豐巡僚伶學替豕倫+ 孳尤  
丰嫗豐巡侑夕擲搔替【澤巡她噤夔× 豐吳噤噪兑+ 午替慶  
nA哀、 權+ × 豐替 上+ 做丰嫗她悞回や母+ ⑤芥剃捌俯+ ↑  
伶嘖猛吳妮巡以儻佛成丰嫗巡严她噤刷+ 揸替【巡以儻吳妮  
忒悞替兢+ 喂区媪她孛循依⑥哈ン 慧巡严佛成替兢乙哑Gh  
媒+ 喝+ • 替嫗哧局+ 脚否替捨塔侑夕擲搔她丁璋替こ掙丰

嫗她豐巡她忙靡丁侑夕替こ掙丰嫗她や母替え 慧丰嫗や母励  
抄+ 啞妮媪+ 徒卹媪傲巡勸巡以儻佛成丰嫗巡严她噤刷+ 揸替  
兢乙哑巡严佛成慮婺+ 她播摑+ • ▼ ⑥二回捨棄脚否替璋位  
二回剃儿噤匀侑+ 暉  
1 资料和方法  
1.1 惊吗  
啞唾妮媪+ 徒甸樵啞拈丰嫗孳伶她 64 ) 巡勸巡以儻佛  
成丰嫗巡严觀× + 治劫豕+ 她+ 喝+ 关芥+ 替+ 壳 31 ) ←  
倍 33 ) 替迥斃 6 + 咋曾5 僖替优斃暨36.5±3.13際+ 咋+ 劫



