

右美托咪定用于全身麻醉的临床探讨

韩慕谦 李 娟
魏县中医医院 河北 邯郸 056800

【摘要】目的: 分析右美托咪定在全身麻醉应用中的麻醉效果。方法: 选择 2020 年 1 月至 2021 年 1 月期间的院内收治的 60 例需要采用全身麻醉的患者, 随机分组后, 对两组患者麻醉效果进行比较。结果: 观察组的麻醉指标以及效果均优于对照组 ($P < 0.05$)。结论: 在全身麻醉过程中, 给予患者右美托咪定麻醉, 可以改善麻醉指标, 提升麻醉效果, 值得推广。
【关键词】: 右美托咪定; 全身麻醉; 麻醉指标; 麻醉效果

Clinical Study of Dexmedetomidine in General Anesthesia

Muqian Han Juan Li

Weixian Hospital of traditional Chinese medicine Hebei Handan 056800

Abstract: Objective: To analyze the anesthetic effect of dexmedetomidine in general anesthesia. Methods: 60 patients who needed general anesthesia were selected from the hospital from January 2020 to January 2021. After randomization, the anesthetic effects of the two groups were compared. Results: the anesthetic indexes and effects of the observation group were better than those of the control group ($P < 0.05$). Conclusion: in the process of general anesthesia, dexmedetomidine anesthesia can improve the anesthesia index and enhance the anesthesia effect, which is worthy of promotion.

Keywords: Dexmedetomidine; General anesthesia; Anesthesia index; Anesthetic effect

右美托咪定用于全身麻醉的临床探讨
二咕晏卻岫攀↑ 六 哧兑璽她效戲价傲哏夕悞效戲藝良
俵倣唳 效戲罔奠慧三咕刁脰^① 哧^② 哧^③ 哧^④ 哧^⑤ 哧^⑥ 哧^⑦ 哧^⑧ 哧^⑨ 哧^⑩ 哧^⑪ 哧^⑫ 哧^⑬ 哧^⑭ 哧^⑮ 哧^⑯ 哧^⑰ 哧^⑱ 哧^⑲ 哧^⑳ 哧^㉑ 哧^㉒ 哧^㉓ 哧^㉔ 哧^㉕ 哧^㉖ 哧^㉗ 哧^㉘ 哧^㉙ 哧^㉚ 哧^㉛ 哧^㉜ 哧^㉝ 哧^㉞ 哧^㉟ 哧^㊱ 哧^㊲ 哧^㊳ 哧^㊴ 哧^㊵ 哧^㊶ 哧^㊷ 哧^㊸ 哧^㊹ 哧^㊺ 哧^㊻ 哧^㊼ 哧^㊽ 哧^㊾ 哧^㊿ 哧¹ 哧² 哧³ 哧⁴ 哧⁵ 哧⁶ 哧⁷ 哧⁸ 哧⁹ 哧¹⁰ 哧¹¹ 哧¹² 哧¹³ 哧¹⁴ 哧¹⁵ 哧¹⁶ 哧¹⁷ 哧¹⁸ 哧¹⁹ 哧²⁰ 哧²¹ 哧²² 哧²³ 哧²⁴ 哧²⁵ 哧²⁶ 哧²⁷ 哧²⁸ 哧²⁹ 哧³⁰ 哧³¹ 哧³² 哧³³ 哧³⁴ 哧³⁵ 哧³⁶ 哧³⁷ 哧³⁸ 哧³⁹ 哧⁴⁰ 哧⁴¹ 哧⁴² 哧⁴³ 哧⁴⁴ 哧⁴⁵ 哧⁴⁶ 哧⁴⁷ 哧⁴⁸ 哧⁴⁹ 哧⁵⁰ 哧⁵¹ 哧⁵² 哧⁵³ 哧⁵⁴ 哧⁵⁵ 哧⁵⁶ 哧⁵⁷ 哧⁵⁸ 哧⁵⁹ 哧⁶⁰

哧¹ 哧² 哧³ 哧⁴ 哧⁵ 哧⁶ 哧⁷ 哧⁸ 哧⁹ 哧¹⁰ 哧¹¹ 哧¹² 哧¹³ 哧¹⁴ 哧¹⁵ 哧¹⁶ 哧¹⁷ 哧¹⁸ 哧¹⁹ 哧²⁰ 哧²¹ 哧²² 哧²³ 哧²⁴ 哧²⁵ 哧²⁶ 哧²⁷ 哧²⁸ 哧²⁹ 哧³⁰ 哧³¹ 哧³² 哧³³ 哧³⁴ 哧³⁵ 哧³⁶ 哧³⁷ 哧³⁸ 哧³⁹ 哧⁴⁰ 哧⁴¹ 哧⁴² 哧⁴³ 哧⁴⁴ 哧⁴⁵ 哧⁴⁶ 哧⁴⁷ 哧⁴⁸ 哧⁴⁹ 哧⁵⁰ 哧⁵¹ 哧⁵² 哧⁵³ 哧⁵⁴ 哧⁵⁵ 哧⁵⁶ 哧⁵⁷ 哧⁵⁸ 哧⁵⁹ 哧⁶⁰

哧 ¹	哧 ²	哧 ³	哧 ⁴	哧 ⁵	哧 ⁶
哧 ¹	哧 ²	哧 ³	哧 ⁴	哧 ⁵	哧 ⁶
哧 ¹	哧 ²	哧 ³	哧 ⁴	哧 ⁵	哧 ⁶
X ² /t	-	0.272		0.288	
P	-	0.602		0.774	

1.2 哧¹
哧¹ 哧² 哧³ 哧⁴ 哧⁵ 哧⁶ 哧⁷ 哧⁸ 哧⁹ 哧¹⁰ 哧¹¹ 哧¹² 哧¹³ 哧¹⁴ 哧¹⁵ 哧¹⁶ 哧¹⁷ 哧¹⁸ 哧¹⁹ 哧²⁰ 哧²¹ 哧²² 哧²³ 哧²⁴ 哧²⁵ 哧²⁶ 哧²⁷ 哧²⁸ 哧²⁹ 哧³⁰ 哧³¹ 哧³² 哧³³ 哧³⁴ 哧³⁵ 哧³⁶ 哧³⁷ 哧³⁸ 哧³⁹ 哧⁴⁰ 哧⁴¹ 哧⁴² 哧⁴³ 哧⁴⁴ 哧⁴⁵ 哧⁴⁶ 哧⁴⁷ 哧⁴⁸ 哧⁴⁹ 哧⁵⁰ 哧⁵¹ 哧⁵² 哧⁵³ 哧⁵⁴ 哧⁵⁵ 哧⁵⁶ 哧⁵⁷ 哧⁵⁸ 哧⁵⁹ 哧⁶⁰

1.3 哧¹

1 资料与方法
1.1 哧¹

暨1際SBP←DBP 嚶兜嚶

暨2際关圻口啥唯嚶

暨3際姊妹呀挽←厖匱呀挽←匙孃呀挽←捌俯唾T 鱚mV

呀挽←匙掃嚶孃呀挽←確户呀挽嚶

暨4際太谷低乙←按捏低乙嚶

暨5際嚶夔吋啤↑

1.4 寔仵偕伺墀

尙璽 SPSS20.0 寔仵偕伺• 惹刁乙啞替优同+啥ン僑
暨 $\bar{x} \pm s$ 際彙娟仵崖悚吗替 \wedge 標孃替歷暨%際彙娟仵同悚吗替

χ^2 標孃替治 P 暨 0.05 呀替 卩 宦同宦她僑写二咕寔仵偕刷 卩 ↑

2 结果

2.1 SBP←DBP 嚶兜

復溪宦乙妄←惹峻←寺妄←匙孃呀她 SBP←DBP 嚶兜卩

卩 倣宦替徨彙 2 ← 彙 3 嚶

彙 2 SBP 唯嚶剝儿暨 $\bar{x} \pm s$ 際暨 mmHg 際

宦Lx	卩同	夕偷	夕攸ス	夕攸nm屈孃ス	乙妄	惹峻	寺妄	匙孃呀
復溪宦	30	127.46±14.89	111.56±11.64	89.76±9.56	92.46±9.86	96.79±10.16	107.79±14.56	112.46±14.89
倣宦	30	127.81±14.95	111.43±11.51	89.71±9.64	116.45±10.46	119.79±11.86	130.86±15.46	133.88±15.46
t	-	0.091	0.043	0.020	9.141	8.067	5.950	5.466
P	-	0.928	0.966	0.984	0.000	0.000	0.000	0.000

彙 3 DBP 唯嚶剝儿暨 $\bar{x} \pm s$ 際暨 mmHg 際

宦Lx	卩同	夕偷	夕攸ス	夕攸nm屈孃ス	乙妄	惹峻	寺妄	匙孃呀
復溪宦	30	73.79±9.51	68.79±8.41	54.79±7.65	53.89±6.89	57.64±7.56	67.89±8.56	71.46±9.53
倣宦	30	74.11±9.46	68.91±8.46	54.26±7.71	72.46±8.79	73.89±8.95	83.82±9.74	89.78±10.41
t	-	0.131	0.055	0.264	9.107	7.597	6.729	7.110
P	-	0.897	0.956	0.790	0.000	0.000	0.000	0.000

2.2 关圻口啥唯嚶

復溪宦Gz 措关圻口啥唯卩 倣宦暨 P 暨 0.05 際替徨彙 4 嚶

彙 4 关圻口啥唯嚶暨 $\bar{x} \pm s$ 際

宦Lx	卩同	NE暨ng/L際	E暨ng/L際	Cor暨μg/dl際	CRP暨mg/L際
復溪宦	30	295.89±49.89	65.79±8.86	16.89±3.89	6.52±2.16
倣宦	30	486.77±53.46	86.79±9.34	19.98±4.16	11.64±3.82
t	-	14.298	8.935	2.972	6.390
P	-	0.000	0.000	0.004	0.000

2.3 Gz 措攸戲口啥唯嚶

復溪宦Gz 措攸戲口啥优僑卩 倣宦暨 P 暨 0.05 際替徨彙 5 嚶

彙 5 Gz 措攸戲口啥唯嚶暨 $\bar{x} \pm s$ 際暨 min 際

宦Lx	卩同	姊妹呀挽	厖匱呀挽	匙孃呀挽	捌俯唾T 鱚mV呀挽	確户呀挽	匙掃嚶孃呀挽
復溪宦	30	17.16±2.89	15.46±2.52	20.79±2.46	9.19±1.19	28.19±1.18	8.10±2.49
倣宦	30	21.46±3.15	19.79±3.16	25.79±2.98	12.58±2.93	37.58±2.94	13.27±3.14
t	-	5.509	5.868	7.087	5.871	16.235	7.066
P	-	0.000	0.000	0.000	0.000	0.000	0.000

2.4 太谷低乙←按捏低乙唯嚶

復溪宦 惹低乙僑卩 倣宦暨 P 暨 0.05 際替徨彙 6 嚶

