

艾灸治疗肛肠科术后排尿困难的观察与护理

王 瑾

上海中医药大学附属龙华医院 上海 200032

【摘要】目的: 探讨艾灸治疗肛肠科术后排尿困难的临床效果。方法: 以 2021 年 11 月至 2022 年 7 月间我院收入的 92 例肛肠科术后排尿困难患者作为研究对象, 将 92 例患者均分为参照组和研究组各 46 例, 给予参照组患者常规治疗, 给予研究组患者艾灸治疗, 分析两组患者临床治疗效果。结果: 经数据分析, 研究组患者发生排尿困难或尿潴留比例明显低于参照组, 且治疗总有效率、护理满意度均明显优于参照组, 差异均具有统计学意义 ($P < 0.05$)。结论: 对肛肠科术后排尿困难患者采取艾灸治疗可有效提高患者治疗总有效率, 操作简单、治疗显著, 配合护理可有效促进患者恢复、提高患者护理满意度, 值得进一步推广。

【关键词】 艾灸; 肛肠科; 排尿困难; 护理

Observation and Nursing of Dysuria after Anorectal Operation Treated with Moxibustion

Jin Wang

Longhua Hospital Shanghai University of Traditional Chinese Medicine Shanghai 200032

Abstract: Objective: To investigate the clinical effect of moxibustion on dysuria after anorectal surgery. Methods: 92 patients with dysuria after anorectal surgery in our hospital from November 2021 to July 2022 were taken as the research object, and 92 patients were divided into the reference group and the study group, with 46 patients in each group. The patients in the reference group were given routine treatment, and the patients in the study group were given moxibustion treatment. The clinical treatment effects of the patients in the two groups were analyzed. Results: Through data analysis, the proportion of dysuria or urinary retention in the study group was significantly lower than that in the reference group, and the total effective rate of treatment and nursing satisfaction were significantly better than those in the reference group, with statistically significant differences ($P < 0.05$). Conclusion: Moxibustion can effectively improve the total effective rate of patients with dysuria after anorectal surgery, with simple operation and significant treatment. Cooperative nursing can effectively promote patient recovery and improve patient satisfaction, which is worth further promotion.

Keywords: Moxibustion; Anorectal department; Dysuria; Nursing

回μ夷 ← 匕夷夷 ← 岑log仕岨僚夫介优T 兑她她岑岑姆夫
介替岑岑助咳× T 岑岑夫介她控憔噤夔阶噤替咕妻悃揮她噤
夔咕呵歷替 J 壯 J 助咳她效戲呵关替係味豕倫勢魁儂愴匡穴
岌效奈空匿替偏岨勢魁噤nm J 罐卵儂价採勃效戲荆儂培壽僚
兢 J 失替勢魁抗影兢 J 失勸她呀替慶揖 T 妻劉呢她搯摑替儂
勢魁噤nm 捌俯憤勵 J 嚙派涸中 [1] ↑ 伉 兇 寔 噤 替 兌 肩 2 偏
儂 噤 震 微 勢 魁 失 摑 替 峙 扁 壽 尢 儂 儂 σ 侈 一 勢 魁 她 吞 寮 替 儂 慘
劉 呢 女 座 + 惹 : 噤 一 侧 替 一 卜 η 勢 魁 ⊕ 十 儂 儂 她 棠 嚙 恶 匍 替
勿 墀 ■ Gy 她 儂 × 靡 T 咕 勃 侈 一 替 T 六 J 怎 诶 噤 儂 伉 : 儂 她 尔
搯 [2] ↑ 懣 T 頰 (H) 噤 夔 怒 2 5 份 匕 儂 儂 她 子 嚙 替 料 岌
噤 夔 岑 岑 姆 夫 nm 卵 儂 价 採 她 噤 夔 卿 否 + 意 圖 2 侧 儂 扇 傍 替
勃 拈 咤 嚙 约 儂 料 岌 噤 夔 岑 岑 姆 夫 nm 卵 儂 价 採 她 T 六 呵 咤 惹
三 η 媿 媿 替 璋 め 俏 J 快 采 匀 k η ↑

1 一般资料与方法

1.1 1 1 岨 悚 吗

惟 2 勃 拈 J 2021 頰 11 咋 峯 2022 頰 7 咋 挽 厄 夕 她 92 J
岑岑姆夫nm卵儂价採勃效× T 媿媿儂媿噤噤噤噤噤夕拈呀
挽惹三寶nF替統循依佯同nF T 媿媿宦替φ同nF T ⊕ 岨宦替噤
宦Ghz 46 J 勢魁↑ 媿媿宦壳荆 21 J 替估荆 25 J 替頰斃 T 儂
T 24~59 信替兜优頰斃暨35.22±3.83際信替勢魁助咳變伴俏
J 暉峙岨 19 J 替俠夷 10 J 替匕夷 11 J 替岑夷 6 J 曠 ⊕ 岨
宦壳荆 22 J 替估荆 24 J 替頰斃 T 儂 T 22~57 信替兜优頰斃
暨35.53±3.79際信替勢魁助咳變伴俏 J 暉峙岨 18 J 替俠夷 12
J 替匕夷 10 J 替岑夷 6 J ↑ 卜 宦勢魁抗吐吐娣莫 ← 荆 L ←
頰斃 J 助咳變伴僚 : 岨 悚 吗 J 她 儂 写 做 咤 嚙 媿 媿 吳 涸 中 暨 P
噤 0.05 際 替 咤 嚙 媿 媿 儲 懷 慮 (H) 拈 儂 俱 Gy σ 偵 勸 ↑

宙夕哈 N 俏 J 暉暨 1 際勢魁优 J 儂 伉 岨 岨 嶺 嶺 ← 揮 嶺 ⊕
僚 J 扇 夫 介 暨 暨 2 際勢魁优 替 μ 咤 嚙 媿 媿 哈 N 際暨 3 際勢魁 ⊕
十 儂 儂 做 咤 嚙 媿 媿 优 儂 刺 替 嫩 尧 η 儂 刺 ke 剛 || ↑

卯 掃 哈 N 俏 J 暉暨 1 際勢魁 儂 伉 孤 孀 孀 拈 勃 懼 拈 媿 替

