

轻度胃肠炎伴婴幼儿良性惊厥临床特征分析

李仁令¹ 邓益斌^{2*}

1. 四川省达州市开江县妇幼保健计划生育服务中心儿科 四川 达州 636250

2. 四川省科学城医院儿科 四川 绵阳 621900

摘要:目的: 剖家愿奠岬芥垠◇惊亾丰岷荆刹㊄她┐六堡凌替▼庇撻┐六(日)罐做怎芥她忒忱替肩㊄噪悦她佺墀价嗽↑方法: 匡搨 2019 颡 1 咋崆 2021 颡 12 咋伉冗啤㊄徑亾こゃ忒乃罐岡啼┐┐ 妲丰輝巨噤她 58) 愿奠岬芥垠◇惊亾丰岷荆刹㊄勃丰她芥┐ 悚吗替㊄啞ナ┐六堡凌↑结果: ' 24┐ 咋惊亾丰岷芥 49)暨84.48%際替㊄24┐ 咋芥芥 9)暨15.52%際嬖㊄傷芥芥 42)暨72.41%際替㊄依傷芥芥 16)暨27.59%際曝27)暨46.55%際憎塌芥替㊄㊄擦荆↑ 42)暨72.41%際伉刚荆岬芥垠失塌丁境nm 24~72 俄呀芥× 嚙㊄× 1 谣 24)暨41.38%際替㊄× 2 谣 26)暨44.83%際替㊄× 3 谣 8)暨13.79%際刹㊄㊄匱密 5 乙扮▼ 匕 56)暨96.55%際替㊄ 5 乙扮 2)暨3.45%際↑ 崆壳伍←崆峒回丁侯搅擷` 偕啞呼家哢吳吳吗写兑↑结论: 愿奠岬芥垠◇惊亾丰岷荆刹㊄㊄! 娉嬖㊄傷佞芥㊄ 2 信▼ 芥 惊亾丰她岷荆刹㊄替㊄nA崆侑伉芥愴芥替㊄剋覘替丁境愿奠岬芥垠失塌nm 2~3 侨昞刹㊄芥× 她撻優替MW夕揖芥× 替芥× 谣同儁替匱密呀挽姁← 捌俯击替備標偷啞呼佞吳吳吗写兑↑

关键词: 愿奠岬芥垠曝岷荆刹㊄曝惊亾丰曝┐六堡凌

Clinical Characteristics of Mild Gastroenteritis with Benign Convulsion in Infants

Renling Li¹ Yibin Deng^{2*}

1. Sichuan Dazhou Family Planning Service Center of Kaijiang County Department of Pediatrics Sichuan Dazhou 636250

2. Sichuan Science City Hospital Department of Pediatrics Sichuan Mianyang 621900

Abstract: Objective: To summarize the clinical characteristics of mild gastroenteritis with benign convulsion in infants, so as to improve clinicians' understanding of the disease and take correct treatment. Methods: The data of 58 cases of mild gastroenteritis with benign convulsion in infants and young children admitted to the pediatric department of Kaijiang maternal and child health and family planning service center from January 2019 to December 2021 were collected, and their clinical characteristics were analyzed. Results: 49 cases (84.48%) were found in infants less than 24 months old, and 9 cases (15.52%) were found in infants more than 24 months old; there were 42 cases (72.41%) in autumn and winter, and 16 cases (27.59%) in spring and summer; 27 cases (46.55%) were rotavirus antigen positive. 42 cases (72.41%) developed acute gastroenteritis within 24~72 hours after the onset of symptoms; 24 cases (41.38%) had one episode, 26 cases (44.83%) had two episodes, and 8 cases (13.79%) had three episodes; 56 cases (96.55%) had convulsions lasting less than 5 minutes, and 2 cases (3.45%) had convulsions lasting more than 5 minutes. No obvious abnormality was found in EEG, cerebrospinal fluid and cranial imaging. Conclusion: Mild gastroenteritis with benign convulsion in infants and young children is a kind of benign convulsion that often occurs in infants and young children under 2 years old in autumn and winter. There may be enterovirus infection. The peak of convulsion attack is 2~3 days after the occurrence of mild gastroenteritis symptoms, showing a comprehensive attack. The number of attacks is small, the duration is short, the recovery is fast, and most laboratory tests show no obvious abnormalities.

Keywords: Mild gastroenteritis; Benign convulsion; Infants; Clinical characteristics

愿奠岬芥垠◇惊亾丰岷荆刹㊄暨`cl gel anhtsj+ qghq ugf k g b e _ q p a l r c p g g 替AuE際叻匚愿奠岬芥垠勃丰伉吳吳鸣峽嚙丁壳微忙孳 卩 刹儿┐ 替媼塌丁境她吳塌刹㊄替儂 卩 娉刚刹失塌刹刹㊄替 /760 颡壯吵啞偕厝 K nk n_ 控啞庇丁↑刹㊄nm←啞丁境刹㊄她唯) 吳鸣 卩 搨岬芥愴剋覘怙刹她吳塌刹㊄替 卩 崆 媼姁唔【豐勳刹㊄巡揀替 卩 媼徇悖抄啞她勳刹㊄替夔丁摺捨↑ 兔LC┐六(日)儂㊄吹

忱Lx AuE 替密 卩 噪悦她舛摺替瑟シ悖抄呀挽【豐勳刹㊄巡揀摺捨刹㊄替× 慰佻搨荆乙啞 卩 0. /7 颡 / 咋崆 0. / 颡 / 0 咋伉冗啤㊄徑亾こゃ忒乃罐岡啼┐┐ 妲丰輝巨噤她 36) AuE 她┐六悚吗替快來乙啞 卩 六堡凌替境匀kQ俏 卩 ↑

1 资料与方法

1. / 卩 崆悚吗

巨揚 0./7 頰 / 咋峯 0.0/ 頰 /0 咋伉冗嘍⑥徑亾こや
忡乃權岡啼一| 処丰輝 b 掂她 36) AuE 勢キ她 T 六悚吗誓
劫咕勢キ优整μ0怠場陶備豐丰輝借| テ AuE 怜叱哈ン
↑ 卵掃哈ン暉暨/際吳凋 T 璋慮刹④她勢尉暉暨0際咕|
吟婧宗孳寔夫芥暨00匪峴垠 ← 峴嶺垠 ← 撈匕岨奚 ← 峴俠 8 ←
峴回岡 T 夕際她勢尉暉暨1際| 扇真峴嚶 T 暨劫際吳鳴壳
微忙劫截娼俾佛勢尉暉暨2際| 暨勢尉暉暨3際 T 六悚吗 T
夕劫芥kA T 固喏↑

/.0 吟嘯

做巨揚她同函⑥ 暨微冷夕 Cvacj 0./4暨乙啞勢キ她
■ 介借悚吗 ← 勢芥晒挽刹④劫× 刹儿⑤備標偷啞呼家啤↑

2 结果

0./ | 嶷刹儿

伉 36) AuE 勢キ | 暨壳 04) 暨借 10) 暨壳借 T
唯 T /暉,01↑ 頰斃 1 | 咋峯 2 信 1 | 咋勢能优頰暨00,06
x 3,54際 | 咋暉ナ | ' /0 | 咋咕 /5) 暨07,1/# 際 ← |02
| 咋 10) 暨33,5# 際 ← 嗽02 | 咋 7) 暨/3,30# 際 ↑ 02
| 咋⑤ T 劫芥 27) 暨62,26# 際 ↑ 嬖ユ傷劫芥 20)
暨50,2/# 際暨依傷劫芥 /4) 暨05,37# 際 ↑

0.0 刹④劫× 刹儿

刹④劫× 晒挽暉劫咕勢キ她刹④劫× 优 T 夕揖劫× 暨
劫擢刹④呀挽 T 刚荆岬芥垠失堀nm /4 |53f 暨ナ | 02f 匕
T 璋刹④ 5) 暨/0,. 5# 際暨 26 咕 /6) 暨/1,. 1# 際 ← |50f
咕 02) 暨2/,16# 際 ← 嗽50f 咕 7) 暨/3,3/# 際暨刹④劫
擢揮優呀挽 T 岬芥垠失堀nm 02 |50 儀呀暨テ 20)
暨50,2/# 際 ↑

刹④劫× 晒同暉 劫× / 晒 02) 暨2/,16# 際暨劫×
0 晒 04) 暨22,61# 際暨劫× 1 晒 6) 暨/1,57# 際 ↑

劫× 匱窳呀挽暉劫× 呀挽 | /. 媪扮峯 4 乙扮暨ナ |
刹④匱窳 3 乙扮 T 卍 34)暨74,33# 際暨 3 乙扮 0)暨1,23# 際

0,1 備標偷啞呼家啤

劫咕刹④勢キ优伉 b 掂晒挽懲三 T 側う兌循 4 惰堀芥
暨勤④ ← 皓芥暨勤④ T 峴壳伍啞呼 ← k0 呀め T 侯撈 KPG
暨26) 際劫侯撈 AR暨/.) 際啞呼暨咕 /.) 勢キめ T 峴
峴回啞呼暨峴峴回家啤优指荆 ↑ 側う T 擢家啤鳴妮咕 05
) 暨24,33# 際惰堀芥暨勤④ 掖荆暨4) 暨/. ,12# 際皓芥暨
勤④掖荆 ↑ 峴壳伍家啤鳴妮吳吳鳴写兑 26) 暨60,54# 際暨
悅岸儲劔噸 1) 暨3/,5# 際暨还呼囊 L 一劔 5) 暨/0,. 5# 際
侯撈 KPG家啤鳴妮 20) 号徨吳鳴写兑暨) 廣尙嶺仕岨暨
1) 擢揣 T 夕暨侯撈 AR 家啤鳴妮 7) 号徨吳鳴写兑暨/
) 嶺嘯衍侈借 ↑

3 讨论

咤寔忡家啤鳴妮 AuE 俚劫 0 信 T 倅亾キ暨⑥
62,26# 暨 伉岬芥儻夫芥擢劫她嬖ユ傷暨50,2/# 際劫芥
塵吳鳴擢 呀依傷暨05,37# 際暨噴家啤 L 納テ媪媪家啤
| 嶷 ↑ 劫咕她勢キ吳凋优 T 母暨吳吳鳴但娘荆夫芥暨借
劫芥塵处擢 壳借暨 L 吳凋納テ吐搵勻儻她家啤 | 嶷 ↑
劫× 冽官唯惱(8) | 暨 T 促唎夕揖劫× 暨刹④匱窳呀挽媪暨
擢俯击暨劫× 晒同 T / |0 晒 T ↑ 堀荆刹④ T 璋她刹④
側倅劫擢伉劫堀 02 儀呀 匕暨扁怎芥刹④側倅伉刚荆岬芥
垠失堀 T 璋nm她 0 |1 侨暨噴家啤 L 納テ勻儻變 ◆ 暨刹④
 T 璋呀挽吳鳴 T k0 堀荆刹④她劫× 呀挽 ↑

咕借尉 | AuE 她嶺峴回 | 啞 T 惰堀芥暨 PL? 暨 T
咕媪媪尉 | 側う | 啞 T 惰堀芥暨勤④暨 份噴忡 T 暨AuE
她劫芥惡惰堀芥暨勤④暨 覘咕テ ↑ 咤媪媪家啤庇妮咕穴 | (7)她
勢キ側う | 啞 T 惰堀芥暨勤④暨 T 庇媪 AuE nA 崑 L 惰堀
芥暨勤④覘納テ暨 | 咕媪媪尉 T 璋 AuE 嶺峴回惰堀芥暨擢
荆勢キ她嶺峴回 | 婧宗 G 堡写荆桶戰 T 戩她嚶兜 L 掖荆
勢キ嚶兜吳吳鳴寔忡借儻写暨 份噴惰堀芥暨劫kPa 冢倫 AuE
慶号冽劔寔 | 她忡枕暨表 T ナ劫芥咪墀慶 T 唎佞吳媪 ↑ T
咕媪媪 T 倅 T 倅亾キ擢揣 T 傑夕 ← 嶺回岡 T 劫堀nA 崑 L
AuE 劫芥咕テ ↑ 咤媪媪 | 咕 1) 勢キ倅伉擢揣 T 傑夕 ↑
AuE 劫× nm 三嶺壳伍 T 侯撈酒 借啞呼家啤鳴妮优吳吳
鳴写兑暨 崑 T 咕 へ她怜叱客暨庇媪刹④劫× 兢 T
唎嶺懷仗忙荆芥冢倫 ↑

寬 T 劫愁 暨AuE 唎 | 媪嬖ユ傷倅劫 0 信 T 倅亾
キ她嶺荆刹④暨nA 崑倅伉芥儻芥暨勤④暨 T 璋愿真岬芥垠
失堀nm 0 |1 侨唎刹④劫× 她擢優暨MW 夕揖劫× 暨劫× 晒
同暨暨匱窳呀挽媪 ← 擢俯击暨嶺壳伍 T 侯撈酒 借啞呼倅
吳吳鳴写兑 ↑

参考文献:

[1] Verrotti A,Nanni G,Agostinelli S,et al.Benign convul-sions associated with mild gastroenteritis: A multicenter clinical study[J].Epilepsy Res, 2011,93 (23):107-114.
[2] 寐倡.愿凡劔覘怙劫她倅亾キ擢晒吳堀刹④她 T 娟荆換才媪媪[D].扇八:扇八(日)輝側借,2014.
[3] 岑 T 燧,啤恩強.怠場陶備豐丰輝借[M],暨7莖,叫 \ : ■ 嘎(七)擢 T 莖婚 2002:847-852.
[4] 依曼擢,捷傳傳,nV 姆強,燎.62) 愿真岬芥垠 ◇ 倅亾キ嶺荆刹④ T 六乙啞 [J]. | 份徑亾や母媪媪,2021,32(1):142-145.
[5] Ueda H,Tajiri H,Kimura S,et al.Clinical

characteristics of seizures associated with viral gastroenteritis in children[J].Epilepsy Res, 2015,109:146-154.

[6] Wu Y Z,Liu Y H,Tseng C M,et al..Comparison of clinical characteristics between febrile and afebrile seizures associated with acute gastroenteritis in childhood[J].Front Pediatr,2020,8:167.

[7] Abe T,Kobayashi M,Araki K,et al. Infantile convulsions with mild gastroenteritis[J].Brain Dev,2000,22(5):301-306.

[8] Kang B,Kim D H,Hong Y J,et al.Comparison

between febrile and afebrile seizures associated with mild rotavirus gastroenteritis[J].Seizure, 2013,22 (7): 560-564.

[9] 惨心份.愿冀岬芥垠◇惊亾丰刹⊕岬刹咪ㄱ她ㄱ
噶娥媳[D].噶拔:ㄱ份(ㄱ)嬋侧偕,2010.

[10] Kang B,Kwon Y S.Benign convulsion with mild gastroenteritis[J].Korean J Pediatr,2014,57(7):304-309.

× 冠媿⊕ 暉
咳■ > 暨1977-際替倍替偕佞替 | ㄱ 丰媿劄覘荆夬芥
娥媳↑
慄ざ× 冠暉媿妍吒替E-mail暉1156537145@qq.com