

麦角新碱联合缩宫素预防产后出血的效果分析

郭晋芳

洪洞县中医医院 山西 洪洞 041600

摘要: 目的: 乙啞啟德心娼岫μ尅倥學拒捨、nmT 彌她叻哞↑ 方法: 樵匪勃拮 2020 頰 1 咋~2021 頰 1 咋乙條、徑于 100) 誓同偉彙椒咪乙 2 宦嗽宦 50) 誓兌循梳拒宦她勢尉密^L 尅倥學惹三T 彌拒捨誓岫μ豐巡宦伉怎佻娘、侈一啟德心娼誓唯惱叻哞↑ 结果: 岫μ豐巡宦、nmT 儼呀、她T 彌靡←、nm^L (x) 仍儼呀、她T 彌靡儼^L 兌循梳拒宦誓P警0.05↑ 岫μ豐巡宦彌嘜拮丁美丁处偷磨丁兌循梳拒宦吳吳鳴儼寫誓P嗽0.05↑ 岫μ豐巡宦、岫μ關儼^L 兌循梳拒宦誓P<0.05際↑ 结论: 尅倥學岫μ啟德心娼、娼巡倥【豐誓nA 峽乙拒捨、nmT 彌誓nA 叻哞一儼、nmT 彌彌攏誓庇揮噤夔儼夕劑誓一儼、岫μ關儼攏↑

关键词: 啟德心娼曝尅倥學曝拒捨曝、nmT 彌曝叻哞

Effect of Ergoline in Preventing Postpartum Hemorrhage

Jinfang Guo

Hongdong County Hospital of Traditional Chinese Medicine Shanxi Hongdong 041600

Abstract: Objective: To analyze the effect of ergometrine combined with oxytocin in preventing postpartum hemorrhage. Methods: A total of 100 cases of parturient women in our hospital from January 2020 to January 2021 were selected, and the number table was randomly divided into 2 groups with 50 cases in each group. Patients in the conventional intervention group were given oxytocin for hemorrhage prevention, while patients in the combination group were given ergoxin on this basis to compare the effect. Results: The amount of blood loss in 2 hours postpartum and 24 hours postpartum in combined medication group was less than that in conventional intervention group, $P < 0.05$. There were no significant differences in oxygen saturation and ventricular rate between the combined treatment group and the conventional intervention group ($P > 0.05$). The adverse reactions in combination group were less than those in conventional intervention group ($P < 0.05$). Conclusion: Oxytocin combined with ergometrine can prevent postpartum hemorrhage, effectively reduce the occurrence of postpartum hemorrhage, improve the safety of treatment and reduce the occurrence of adverse reactions.

Keywords: Ergoline; Oxytocin; Prevention; Postpartum bleeding; Effect

、nmT 彌勃份儼、徑鳴^L 她控、④ 伶誓、叻乙條晒 兌徨兢、失誓、nmT 彌她乔伶咕儼倥巨尅、T、← 懸、儼仿 8、← 岱矜伶學← 勻彌T 艸掙娼娼、T、5、|7、#、v、T、叻壯 儼倥巨尅、T、豕儼她、nmT 彌誓^L nAke 呀、T、倥伶學μ 兢儼伉↑、nm 倥尅、T、劑T 彌T 提叻伶T 儼徑伉乙條、慮 真孺採誓勃叻伶T、nm 佈豐、慮靡她按捏、以← 效戲、以娼誓 v、⑥、徑伉乙條nm 困忙惱馮← 儼倥巨尅、岫儼^L 壯、怎 乔她、攏攏儼、擊誓儼、⑥ 呀嗒彌誓儼、⑥ 儼徑她攏一誓勃 v、关局、² 咕叻她拒捨、⑥ 噤夔、叻噤誓儼、T、叻、儼、俾 儼否nm 誓咕儼儼、ka← 奄夸儼倥← 揮斃← 倥尅、T、← 、nmT 彌← 周晒、nmT 彌儼誓認、σ、T、境、k0 婆美她侈一↑ 扁伉、T、娼、誓拒捨、关豐倥尅、以叻捻、T、nmT 彌← 一 儼T 彌靡她扇、提勸、儼、T、六、誓尅倥學、叻、俥、T、nm 拒 捨儼倥巨尅、T、劑T 彌她兌循、劑、客豐巡誓尅倥學二、咕惱 卍、她、勸、咤← 徨、叻、愁、惱← 卍、T、(7) 獲晒、儼、|4 乙扮際、誓、T、 回拮、丁、境、恥、誓、咕、儼、儼、【豐慮靡她尅倥學nA 峽、σ、豕、儼、儼、 誓← 厶、墘、L、峯、尔、彌、儼、誓、| 扁、(8) 卍、儼、徑、她、攏、一、↑、T、T、彙

尅倥學她、T、惋誓^L 啟德心娼成μ尅【豐誓nA【儼倥巨尅← 一儼、nmT 彌↑ 啟德心娼、娼、二、咕、え、惹、儼、倥、巨、尅、←、え、惹、 儼、儼、拋、圾、炭、T、良、她、(7)、儼、啟、德、攏、娼、娼、誓、二、咕、岫、儼、她、家、响、媚、 儼、劑、←、え、惹、nV、巨、←、捨、塔、nmT 彌她× 豐↑ 儼、儼、咕、叻、伐、巨、尅、 儼、儼、拋、圾、炭← 儼、儼、炭、傾、誓、儼、T、叻、二、咕、惱、互、她、彌、儼、T、 恩、巨、尅、 丁、|1 儼、呀、她、抄、叻、巨、尅、T、良、誓、【澤、啟、德、心、娼、儼、nmT 彌、 T、⑥、| 谣、勸、T、泉、又、她、岫μ 豐巡↑ 咤、娼、儼、乙、啞、η 啟、德、心、娼、岫、 μ 尅、倥、學、拒、捨、nmT 彌、她、叻、哞、誓、儼、↑

1 资料与方法

1.1 一般资料

樵匪勃拮 0.0 頰 / 咋 | 0.0 / 頰 / 咋乙條、徑于 / . .) 誓同偉彙椒咪乙 0 宦嗽宦 3.) ↑ T、誓兌循梳拒宦頰 斃^L 0 / | 14 信誓兜优頰斃^L 誓 06,23^α 0,24 際信誓儼 log 14 | 2. log 誓兜优儼 log 誓 17,12^α ., 03 際際 log ↑ 岫μ 豐巡宦頰斃^L 02 | 14 信誓兜优頰斃^L 誓 06, / 0^α 0,20 際際信誓儼 log 14 | 2. log 誓兜优儼 log 誓 17, / 0^α ., 0 / 際際 log ↑ T、宦、恣、忤、借、唯、惱、鳴、妮、N 側^L ., 3 ↑ 咤、娼、儼、桌、* 墘、勸、N ↑ 夕、樵、●、暉、誓 / 際、儼、儼

(H)借,2021,33(19):31-32+50.

[3] 恣強強.啟德吟娼岫μ尅倥學傲、nm丁彌、徑丁彌靡^L勻彌丁哀嚶拋她潤中[J].璋▶(H)借^Lや母娥嬈壳僕咕胤,2021,5(19):57-59.

[4] 咏堂mm³.摠啫截啟德吟娼岫μ尅(卒)天尤學喇; r 戰←

尅倥學摠捨揮(株)保信、nm丁彌她叨哞⊕傲、nm勑俯她潤中乙啞[J].┆份璋▶巡棟关豐,2021,15(12):29-32.

[5] 慎儼剛,拚倡,控堅唾.啟德吟娼岫μ尅倥學摠捨揮(株)偈、徑E倥、nm丁彌她丁六復倭⊕勿墀舐摠[J].┆份μ尅墀豐巡卹擘,2021,18(04):49-53.