

急诊护理干预对高血压脑出血患者预后效果的影响

刘天丽

上海中医药大学附属龙华医院 上海 200032

【摘要】:目的: 探讨急诊护理干预对高血压脑出血患者预后效果的影响。方法: 选取 2019 年 8 月至 2021 年 8 月在我院治疗的 130 例高血压脑出血患者, 随机分为观察组(急诊护理干预)和对照组(常规护理)。结果: 观察组患者护理满意度(96.92%)高于对照组(85.15%), 差异有统计学意义($P < 0.05$)。观察组患者 Fugl-Meyer 评分、Brhtel 指数、心理弹性及 QOL 评分均高于对照组, 差异有统计学意义($P < 0.05$)。结论: 急诊护理干预对高血压脑出血患者预后效果有显著影响。

【关键词】: 急诊护理干预; 高血压脑出血; 预后效果

Effect of Emergency Nursing Intervention on Prognosis of Patients with Hypertensive Cerebral Hemorrhage

Tianli Liu

Longhua Hospital Shanghai University of Traditional Chinese Medicine Shanghai 200032

Abstract: Objective: To explore the effect of emergency nursing intervention on the prognosis of patients with hypertensive cerebral hemorrhage. Methods: 130 patients with hypertensive intracerebral hemorrhage treated in our hospital from August 2019 to August 2021 were randomly divided into observation group (emergency nursing intervention) and control group (routine nursing). Results: Compared with the control group, the observation group had higher nursing satisfaction (96.92%) and lower complication rate (6.15%) ($p < 0.05$); After the intervention, the Fugl Meyer score, Brhtel index, psychological elasticity and QOL score of the observation group were higher ($p < 0.05$). Conclusion: Emergency nursing intervention has a significant effect on the prognosis of patients with hypertensive cerebral hemorrhage.

Keywords: Emergency nursing intervention; Hypertensive cerebral hemorrhage; Prognostic effect

急诊护理干预对高血压脑出血患者预后效果的影响。目的: 探讨急诊护理干预对高血压脑出血患者预后效果的影响。方法: 选取 2019 年 8 月至 2021 年 8 月在我院治疗的 130 例高血压脑出血患者, 随机分为观察组(急诊护理干预)和对照组(常规护理)。结果: 观察组患者护理满意度(96.92%)高于对照组(85.15%), 差异有统计学意义($P < 0.05$)。观察组患者 Fugl-Meyer 评分、Brhtel 指数、心理弹性及 QOL 评分均高于对照组, 差异有统计学意义($P < 0.05$)。结论: 急诊护理干预对高血压脑出血患者预后效果有显著影响。

1 资料与方法

1.1 一般资料

选取 2019 年 8 月至 2021 年 8 月在我院治疗的 130 例高血压脑出血患者, 随机分为观察组(急诊护理干预)和对照组(常规护理)。观察组 65 例, 对照组 65 例。两组患者年龄、性别、出血部位、出血量等基线资料比较, 差异无统计学意义($P > 0.05$)。

1.2 护理方法

观察组患者接受急诊护理干预, 包括生命体征监测、病情观察、心理护理、健康教育等。对照组患者接受常规护理。两组患者均接受规范的药物治疗。

观察组患者接受急诊护理干预, 包括生命体征监测、病情观察、心理护理、健康教育等。对照组患者接受常规护理。两组患者均接受规范的药物治疗。

1.3 观察指标

观察指标包括护理满意度、并发症发生率、Fugl-Meyer 评分、Brhtel 指数、心理弹性及 QOL 评分。

1.4 统计学方法

采用 SPSS 22.0 软件进行统计学分析。

博豐 QNQQ00.. 寔仵偌思• 替豐 暨 $\bar{x} \pm s$ 際 $\leftarrow Y$ 暨 # 際
彙 寔 T 際 $\leftarrow T$ \sqrt{Y} 際 寔 N ... 3 T 僑 写 咕 寔 仵 偌 刷 $\downarrow \uparrow$

2 结果

0./ 勿 墀 均 刷 奠

復 寔 寔 擇 \downarrow 儆 堙 寔 暨 N ... 3 際 替 儆 彙 / \uparrow
彙 / 勿 墀 均 刷 奠 Y 暨 # 際 [

组别	例数	非常满意	满意	不满意	总满意度
观察组	65	32	31	2	96.92%(63/65)
对照组	65	25	26	14	78.46%(51/65)
χ^2					11.895
P					<0.05

0,0 兢 犷 失

復 寔 寔 寔 \downarrow 儆 堙 寔 暨 N ... 3 際 替 儆 彙 0 \uparrow
彙 0 兢 犷 失 Y 暨 # 際 [

寔 以	同	嚙 儆 摔 仵	哈 荆 犷 堙	崑 苑	犷 墀 摩
復 寔 寔	43	/	0	/	4/3# & 2-43'
儆 堙 寔	43	1	3	2	/6,24# & 0-43'
χ^2					/. , /03
N					: ... 3

0,1 Dsej+K cwcp 低 乙 $\leftarrow @frcj$ 同 儆 催

兢 拒 nm 替 復 寔 寔 儆 堙 寔 暨 N ... 3 際 替 儆 彙 1 \uparrow

彙 1 Dsej+K cwcp 低 乙 $\leftarrow @frcj$ 同 暨 $\bar{x} \pm s$ 際 乙 際

检查指标		观察组 (n=65)	对照组 (n=65)	t	P
Fugl-Meyer 评分	干预前	12.65 ± 9.60	13.41 ± 8.55	1.584	0.654
	干预后	29.67 ± 8.69	22.85 ± 9.16	12.061	0.008
Brtel 指数	干预前	13.52 ± 4.91	14.06 ± 5.12	2.325	1.204
	干预后	62.33 ± 9.52	50.22 ± 11.06	11.041	0.042

0,2 处 墀 冰 荆 低 乙

兢 拒 nm 替 復 寔 寔 儆 堙 寔 暨 N ... 3 際 替 儆 彙 2 \uparrow

彙 2 处 墀 冰 荆 低 乙 暨 $\bar{x} \pm s$ 際 乙 際

检查指标		观察组 (n=65)	对照组 (n=65)	t	P
韧性	干预前	18.76 ± 2.53	18.75 ± 2.52	1.241	>0.05
	干预后	45.18 ± 1.38	34.76 ± 1.64	11.015	<0.05
力量性	干预前	11.19 ± 1.25	11.19 ± 1.26	5.351	>0.05
	干预后	27.85 ± 0.21	19.56 ± 0.24	12.044	<0.05
乐观性	干预前	7.09 ± 1.12	7.09 ± 1.13	3.654	>0.05
	干预后	14.58 ± 1.20	10.29 ± 1.11	10.528	<0.05

0,3 墀 偶 忙 靡

復 寔 寔 兢 拒 nm 儆 堙 寔 暨 N ... 3 際 替 儆 彙 3 \uparrow

彙 3 墀 偶 忙 靡 暨 $\bar{x} \pm s$ 際 乙 際

啞 呼 乙 哈		復 寔 寔 暨 I ; 43 際	儆 堙 寔 暨 I ; 43 際	r	N
囊 以 崑 仵	兢 拒 不	/. 0/ \pm . , 11	/. 00 \pm . , 03	3,02/	< . , 3
	兢 拒 nm	1,03 \pm . , 32	0,03 \pm . , 26	/. , 302	: ... 3
唾 悞 夬 芥 忒 忱	兢 拒 不	/. 13 \pm . , //	/. 23 \pm . , 2	3,602	< . , 3
	兢 拒 nm	2,0. \pm . , 03	0, / 3 \pm . , 0	/ 3,02/	: ... 3
婚 乙 史 匱	兢 拒 不	/. 13 \pm . , 13	/. 17 \pm . , 06	0,0/ 3	< . , 3
	兢 拒 nm	2,36 \pm . , 30	0,30 \pm . , 13	/ 0,326	: ... 3
太 谷	兢 拒 不	/. 02 \pm . , 2/	/. 03 \pm . , 17	2, / 34	< . , 3
	兢 拒 nm	1,0/ \pm . , 17	0,06 \pm . , 25	/ / , 625	: ... 3
妊 妮	兢 拒 不	/. 17 \pm . , 16	/. 2. \pm . , 36	1,432	< . , 3
	兢 拒 nm	2,14 \pm . , 36	0,10 \pm . , 40	/ 2, / 30	: ... 3
孤 婧 乙 乙 仵	兢 拒 不	/. 36 \pm . , 30	/. 40 \pm . , 32	1, / 0	< . , 3

丁彙勢慰她拒nm忙扉涸中低。 [J]. 份(七)罐哈ノ嬢墀,
2019,10 (21) :151-153.

[13] 咳幃強.揮彙⊖崑丁彙勢慰勾吁慮婺. 備否. 卅
刚怜勿墀嚙婺她× 豐乙哑[J]. 佻傾(卅)借价佻,2021,25(14):2

061-2062.

[14] 咳儀凡,擬廢寔. 卅 六勿墀惨淦伉cal÷佻兴崙(口)
揮彙⊖崑丁彙刚怜勘唳勢慰佻唳哂. 她关豐吋哂復僊[J].
処彙嬢芥捨嚙姬忱,2021,11(7):43-45.